

# **Utah Weekly Pertussis Update**

2017 data, through MMWR week ending March 18, 2017 (MMWR week 11)


Data presented in this report are based on current data available and will be subject to change weekly.

### **Data Summary**

Total number of cases reported, 2017 year-to-date		Utah Incidence rate, 2017 year-to-date (YTD) per	
(YTD)	55	100,000 person-years	8.7
		Utah Incidence rate, 2016 per 100,000 person-	
Total number of cases reported 2016	267	years	9.1
		National Incidence rate*, 2015 per 100,000	
Number of cases reported in past week	2	person-years.	5.7
Total number of cases reported, through same time			
period 2016	65	2017 Hospitalizations	6
	<1		
Age groups with the highest rates	5-14	2017 Cases in infants <1 year	4

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

### Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2017 Year-to-Date Incidence Rates, By Age

	2017	2015	
Age (years)	Cases	population	Rate*
<1	4	50,821	37.3
1-4	3	199,882	7.1
5-14	19	516,820	17.4
15-24	9	485,295	8.8
25-34	4	441,518	4.3
35-44	6	399,342	7.1
45-54	4	309,941	6.1
55-64	2	284,433	3.3
65+	4	307,867	6.2
Total	55	2,995,919	8.7

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

## School Age Incidence Rates, 2017 Year-to-Date

	Age		2015	
Grade	(years)	<b>2017 Cases</b>	Population	Rate*
Preschool	3-4	1	99,213	4.8
Kindergarten	5	0	52,218	0.0
1	6	1	52,501	9.0
2	7	0	53,394	0.0
3	8	0	53,225	0.0
4	9	1	52,275	9.1
5	10	0	52,118	0.0
6	11	3	51,405	27.7
7	12	0	50,993	0.0
8	13	4	49,184	38.6
9	14	10	49,507	95.7
10	15	1	49,530	9.6
11	16	3	47,991	29.6
12	17	2	47,452	20.0

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

## Utah Case Counts of Pertussis, 2012-2017\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

<sup>\* 2017</sup> data includes pertussis cases reported year to date. 2012-2016 data reflects cases reported during the entire calendar year for each year.



# Incidence of pertussis by Local Health Department, 2017 YTD

Local Health Department	2017 Cases	Rate*
Bear River	0	0.0
Central Utah	1	6.1
Davis County	5	7.1
Salt Lake County	31	13.3
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	1	2.1
Summit County	1	12.0
Tooele County	0	0.0
TriCounty	0	0.0
Utah County	10	8.2
Wasatch County	0	0.0
Weber-Morgan	6	11.2

<sup>\*</sup> Rate is calculated per 100,000 person-years using 2015 Utah population estimates.

